



BARCODE...



AUTOMATION...



RFID...



EAS...



M & C...



POS...



CONSUMABLES...



SOFTWARE...



STALLION SYSTEMS AND SOLUTIONS PVT. LTD., INDIA
STALLION SYSTEMS FZE, UAE
STALLION LABEL INDUSTRIES LLC, UAE
GLOBAL STALLION SYSTEMS WLL, QATAR
STALLION SYSTEMS LLC, OMAN



STALLION

Smarter... Faster... Higher...

STALLION GROUP
INDIA | UAE | QATAR | OMAN



Stallion provides Barcode | RFID | Automation | M&C | POS | EAS | Consumables | Software Solutions to clients in India and Middle East, as partners to conceptualize and realize their initiatives, to reach out their Vision. Whether it is Manufacturing, Retail, Transport & Logistics, Healthcare, we ensure a level of certainty of results that no one can match. Started two decades ago Stallion thrives on professionalism, business ethics and customer delight. With over 25 branches and 300 employees spread across India and Middle East, Stallion stands out to be a leading company in Automatic Identification and Data Capturing industry.

Stallion is the authorized distributor in India and Middle East for Honeywell, Datalogic, Avery Dennison, Alien, Impinj, United Barcode Systems, Cobra and Tyco. Stallion design and develop own products with the help of OEM manufacturers. Our manufacturing facility with sophisticated machineries in UAE, Bangalore and Kochi caters to customer's label, tag, ribbon, POS rolls and product labels requirements. Our In house development center provides software solutions, and well trained engineers provides technical and maintenance support.

Solutions and Services of Stallion are used by over 18000 companies to improve their business processes, increase productivity, and strengthen security.

STALLION

VISION

To become a globally leading and reputed organization, respected by all stake holders such as Customers, Employees, Partners and Society.

To achieve profit, by providing best of products, technologies, services to its customers by practising business ethics and to become useful to the society.

MISSION

Handheld Scanners



QSI/QSL/QS Mobile

QD 2131
Linear Imager / Cable

QD 2300
Laser / Cable

QD 2400
Area Imager / Cable

QBT 2131
Linear Imager / Cable

QBT 2400
Area Imager / Cable

QM 2131
Linear Imager / 433MHz

QM 2400
Area Imager / Cable

QW 2100 Lite
Linear Imager / Cable

QW 2400 Lite
2D Area Imager / Cable



Gryphon

GD 4300
Laser / Cable

GD 4100 / GD 4400 / GD 4400 DPM
Linear / Area Imager / Cable

GBT 4100/4400 2D
Linear / Area Imager / Cable

GM 4100
Linear Imager / 433MHz

GM 4400
Area Imager / Cable



Heron

HD 3430
Area Imager / Cable

HD 3130
Linear Imager / Cable



PowerScan

PD 9530 STD / HP / OPM
2D Area Imager / Cable

PM 9500
2D Area Imager / Mobile

PBT 9500
2D Area Imager / BT

PD 9300
Linear Imager / STD & Auto Range

PBT 9300
Linear Imager

PM 9300
Linear Imager

Presentation Scanners



Gryphon I / Magellan

Gryphon I GPS 4400 2D
Area Imager / 1D/2D

COBALTO CO 5300
Laser / 1D

800i
Linear Imager / 1D/2D

1100i
Linear Imager / 1D/2D

3200 VSI
Laser / 1D

2200 VS
Laser / 1D

3300 HSI
Laser / 1D

2300 HS
Laser / 1D

9300i / 9400i
Linear Imager / 1D

9800
Linear Imager / 2D

GFS 4100
Linear Imager / 1D

GFS 4400
Area Imager / 2D

GFE 4400
Area Imager / 2D

Mobile Computers



Memor X3

Mobile Computer
Windows CE6.0 Pro
2.4" QVGA Touch
Ethernet, RS-232 /
USB / Wi-Fi, BT
Linear Imager / Laser /
2D Imager
IP54
1.2 m / 3.9 ft



Skorpio X4

Rugged HHT
Windows Embedded Compact 7
or Android V4.4
1 GB / 8 GB
3.2" Touch
Ethernet, RS-232 / USB
10/2D Imager
IP64
1.8 m / 6.0 ft



Skorpio X3

Rugged HHT
Windows CE6.0 Pro
256 MB / 512 MB
3.2" QVGA Touch
Ethernet, RS-232 /
USB / Wi-Fi, BT
Laser / 2D Imager
IP64
1.5 m / 5.0 ft



FalconX3+

Ultra Rugged HHT
Windows CE6.0 Pro
256 MB / 256 MB
3.5" QVGA Touch
Ethernet, RS-232 /
USB / Wi-Fi, BT
Standard and 1D / 2D XLR
IP65 / 1.8 m / 6.0 ft
3 Megapixels
Autofocus with Flash



DL-Axis

Ultra Rugged HHT
Android V4.4
1 GB / 8 GB
5" Touch
Ethernet, USB / Wi-Fi, BT
2D Imager
IP 67
1.8 m / 6.0 ft



Joya X2

Mobile Computer
Windows CE6.0 Pro
256 MB / 512 MB
2.8" TFT-LCD
USB interface
2D Imager



Joya Touch 6

Mobile Computer
Android 6.0 Marshmallow
2 GB / 16 GB
4.3" TFT-LCD
USB interface
2D Imager
1.2 m / 4.0 ft



Rhino II

Vehicle Mount Computer
Microsoft / Android
10"/12" XGA color display
Anti-glare multi-touch screen
Wi-Fi, BT



Desktop Printers



E-Class Mark III

E-4204B / E-4304B
4.25 inch, 203/300 dpi, 4 ips
E-4205A / E-4305A
4.25 inch, 203/300 dpi, 5 ips
E-4206P / E-4305P
4.25 inch, 203/300 dpi, 6/5 ips



PC42t / 42t+

4 inch, 203 dpi, 4 ips
USB + Serial
USB + Serial + Ethernet
Auto Language Sense /
Auto Calibration /
203 dpi, 4 ips



PD43

Direct Thermal
(Thermal Transfer Optional)
4 inch, 203 dpi, 8 ips



PM43

Direct Thermal
(Thermal Transfer Optional)
4 inch, 203 dpi, 12 ips



PM42

203 dpi, TT,
Ethernet
+ Serial + USB



M-Class Mark II

M-4206
4.25 inch, 203 dpi, 6 ips
M-4210
4.25 inch, 203 dpi, 10 ips
M-4308
4.25 inch, 300 dpi, 8 ips



I-Class Mark II

I-4212e
4.10 inch, 203 dpi, 12 ips
I-4310
4.16 inch, 300 dpi, 10 ips
I-4606
4.16 inch, 600 dpi, 6 ips

Desktop Printers



H-Class

H 4212 / X
4 inch, 203 dpi, 12 ips
H 4408
4 inch, 406 dpi, 8 ips
H 6210
6.61 inch, 203 dpi, 10 ips
H 6308
6.4 inch, 300 dpi, 8 ips
H 8308 X
8.52 inch, 300 dpi, 8 ips



A-Class Mark II

A-4212 / A-4310
4 inch, 203 dpi, 12 ips /
4.16 inch, 300 dpi, 10 ips
A-4408 / A-4606
4 inch, 406 dpi, 8 ips /
4.16 inch, 600 dpi, 6 ips
A-6212 / 6310
6.16 inch, 203 dpi, 12 ips /
6.4 inch, 300 dpi, 10 ips

Portable Printers



Mobile Printers

PR 2 / PR 3
Durable Mobile Receipt
48mm(1.89in) /
72mm(2.83in)
203 dpi
16 MB RAM, 64 MB Flash
Supports user-defined
fonts & graphics,
10 Barcodes,
2D symbologies,
BT 2.1, Wi-Fi, USB or IrDA



Thermal Receipt Printers

RL4e
Direct Thermal
4 inch
203 dpi
4 ips
Serial / USB / BT

**Apex 2 / Apex 2i /
Apex 3 / Apex 3i /
Apex 4 / Apex 4i**
Direct Thermal
1.89" / 2.83" / 4.10"
203 dpi
2 ips
RS232 / BT / USB



Handheld Scanners



Eclipse 5145

Single-Line Laser
Wired, 72 scans/s



Voyager 1250g

Single-Line Laser
Wired, Read distance: 17 in



Voyager 1450/1452

Area Imager
Wired Wireless
upto 10cm/s (4 in/s)



Xenon 1900g/19202g

Area Imager
Wired Wireless
upto 610cm/s (240 in/s)



Granit 1920i

Area Imager /
Min. Resolution:
1D 2.5 mil; 2D 4 mil

Presentation Scanners



Orbit 7120

Omni directional Laser
Wired, 1120 scans/s



Granit 1980i

Industrial Wired
Area Imager 1D/2D



Genesis 7580g

1D, PDF417, 2D, Black,
RS232-TTL/USB/KBW,
IB 46xx RS485 vis cable



Solaris 7980g

USB Kit:1D, PDF, 2D,
USB Type 1.3m(9.8")
Straight Cable (VBL-500-300-S00-04)
EU Power Supply (PS-05-1000W-C)



Granit 1981i

Industrial Bluetooth
Area Imager 1D/2D



Vuquest 3320g

Area Imager
Read all 1D, PDF and
2D barcodes

Mobile Computers



CK3R / CK3X

Windows Embedded
Handheld 6.5
265 MB / 512 MB / 1GB



Cn51

WHH6.5/Android 6.0
4.0" Screen
1GB/16 GB



Dolphin 6110

WEH 6.5,
2.8" Screen,
512MB, 1D/2D HHT



Dolphin CT60

Android 7.1.1 Nougat,
3 GB/4 GB DDR4 RAM,
32 GB Flash, V5.0 Bluetooth
and BLE Supported



ScanPal EDA50

Android 4.4, WWAN(3G),
502.11 a/b/g/n, 1D/2D Imager (H20),
1.2GHz Quad-core, 2GB/8GB Memory,
SMP Camera, Bluetooth 4.0, NFC,
Battery 400mAh, USB Charger, Black



ScanPal EDA60K

Android 7.1 without GMS,
2 GB RAM, 16 GB Flash,
Bluetooth Class 4.1
Qualcomm 8917 1.4 GHz quad-core,
Battery: Li-Ion, 3.7V, 5100 mAh





Laser Fixed Mount Scanners

DS1100 DS2200 DS4800 DS5100 DS8110 DX8200A
DS1500 DS2100N 2K SERIES DS2400 N 2K SERIES DS6300 DS8210



Image Based Fixed Mount Scanners

MATRIX 120 MATRIX 210 N MATRIX 300 N MATRIX 410 N MATRIX 450 N STS400
MATRIX 410 N XRF410 N



Linear Cameras

NVS900 TC1200



Dimensioner

DM3610 DM3610-2 Head System



Vision Systems

Laser Marking Machine



UniQ (All-in-One)

Fiber Laser Marker
15W, All in One Fully embedded,
IP54



ULYXE (All-in-One)

Solid State Laser Marker
6W, All in One Laser marker,
Twin aiming beam



EOX (All-in-One)

CO2 Laser Marker
10W, All in One Laser Marker,
Built-in power supply
& Marking controller



AREX (One.Rack)

Fiber Laser Marker
Anax 10/20/30/50/20mV,
Pulsed M.O.P.A Fibre Laser, Static,
Rotary axis, On the fly (marking in motion)



VLASE (One.Rack)

Solid State Laser Marker
Vlase IR 10/20, Vlase Green 10,
Vlase UV 3 Static, Rotary axis,
On the fly (marking in motion)



EOX (One.Rack)

CO2 Laser Marker
EOX 10/30, 10W/30W
Static, Rotary axis,
On the fly (marking in motion)



Lighter Suite

Laser Marking Software
One-Software for all DL's Laser
marking products, Logo, 1D/2D Barcode,
Graphics, Language



Print & Apply System



Case and Pack Print & Apply Systems

APL 3500 Series APL 3500 E Series



Pallet Print & Apply Systems

APL 3800 APL 8000 Series



Labelers

ALS 104 / 204/206/209/256/272





COBRA.CU

Small Character Printer
Print speed: 345 m/min
Print Lines: 1 to 6 Lines



COBRA.CO2

CO2 Fly Laser
Working Area: 110x110mm
Marking Speed: 0-7000mm/s



COBRA.FIBRE

Fibre Fly Laser
Working Area: 110x110mm
Marking Speed: 0-7000mm/s



COBRA.HH FIBRE

Hand Held Fibre Fly Laser
Working Area: 110x110mm
Marking Speed: 12000mm/s



COBRA.PT FIBRE

Portable Fibre Fly Laser
Working Area: 110x110mm
Marking Speed: 0-10000mm/s



COBRA.DOD

Drop on Demand Large Character
Print Height: 10 - 54
Print Speed: 60 m/min



COBRA.HH TIJ

Hand held Thermal Inkjet Printer
Print Height: 0.8 mm to 18 mm
Print Speed: 60 m/min



APLINK LCX

High Resolution Inkjet Printer
Print Height: 17 mm to 72 mm
Print Speed: 50 m/min



Consumables

CIJ - Fluids
TIJ - Ink Cartridges

Electronic Article Surveillance



AMS-1145

Ultra 1.8m ABS
Pedestal System
Acousto-Magnetic (AM)



AMS-1146

Ultra 1.5m ABS
Pedestal System
Acousto-Magnetic (AM)



AMS-1014

Ultra-Post 9
AM Dual Mono
up to 1.8 mtr.



AMS-1175

Ultra-Exit 2m
AM Dual Mono
up to 2 mtr.



AMS-1180

2.4m
AM Dual Mono
up to 2.4 mtr.



DR Label



Hard Tag
AMT 5000



Hard Tag
AMT 3200



Hard Tag
AMT 3220



VSTR Tag



Handheld
Super Detacher



MKD31 Detacher



Desktop Super
Detacher



AMS 1200
Deactivator Pad



AMS 2011
Deactivator Pad





Smarter. Faster. Higher.

STALLION GROUP
INDIA | UAE | QATAR | OMAN

STALLION.POS

POS Terminals and Peripherals



STALLION.LITE

Integrated POS

Intel Celeron Quad Core /128GB SSD/
4GB DDRIII/15" TFT Touch/Fanless
Windows IoT



STALLION.TURBO

Integrated POS

Intel Core i5 /128GB SSD/
4GB DDRIII/15" TFT Touch/
Windows IoT



STALLION.COMPACT

Qualcomm Snapdragon 8-core/
2GB/16GB NAND FLASH/
14" FHD Touch/Built in 3" Printer/
Android 6.0



STALLION.VALUE

Qualcomm Snapdragon 8-core/
8GB ROM + 1GB RAM/
HD Touch/Built in 2" Printer/
Wi-Fi/Bluetooth /Android 6.0



STALLION.HANDY

Mobile O20 Terminal

Android 5.1/MTK 1.3 GHz QuadCore/
512MB RAM, 4GB Nand Flash/
5.5"IPS, Dual-point Touch Screen



Sunmi D1

Multi-Functional Android POS
Qualcomm Snapdragon 8 core/
15" Multi Touch HD Screen



Sunmi M1

Mobile POS Terminal
Small & Portable/
Read 1D & 2D QR Code within 0.7 second
Huge Battery, Supprt2G/3G, Wi-Fi, Bluetooth



Sunmi L2

Mobile Intelligent Data POS Terminal
Support all brands of FDD-LTE and TDD-LTE/
Wi-Fi Support 2.4GHz & 5GHz/
IP67



Sunmi P1

Payment Terminal
Small & Portable/
Read 1D & 2D QR Code within 0.7 second
Huge Battery, Supprt2G/3G, Wi-Fi, Bluetooth



Rocket Receipt Printer

300 mm Direct Thermal Receipt Printer
USB + Serial / USB + Serial + Ethernet



Peripherals

STALLION ECO 410
Standard Cash Drawer



Peripherals

STALLION VFD220-UB
Pole Display



| | | | | | | | |
|--|---|---|--|---|---|---|--|
|  <p>ALR-F800 Fixed 4 port Reader ISO: 18000-6B EPC G2 Reading Distance: 12 Mtr.</p> |  <p>ALR-9680 Fixed 4 port Reader ISO: 18000-6B EPC G2 Reading Distance: 12 Mtr.</p> |  <p>R420 Fixed 4 port Reader ISO: 18000-6B EPC G2 Reading Distance: 12 Mtr.</p> |  <p>IF1 Integrated Reader with external antenna port</p> |  <p>STA IR9816 USB Desktop Reader ISO: 18000-6B EPC G2 Reading Distance: 25 cm</p> |  <p>STA IR0507E Integrated Mid-Range Reader ISO: 18000-6B EPC G2 Reading Distance: 5 Mtr.</p> |  <p>STA IR1207E Integrated Long Range Reader ISO: 18000-6B EPC G2 Reading Distance: 12 Mtr.</p> | |
|  <p>STA BT7507 Bluetooth PDT ISO: 18000-6B EPC G2 Reading Distance: 1 Mtr.</p> |  <p>STA C4000 Android PDT ISO: 18000-6C EPC UHF Reading Distance: 5 Mtr.</p> |  <p>STA C3000 PDA ISO: 18000-6C EPC GEN2 Reading Distance: 5 Mtr.</p> |  <p>STA AN86609C Antenna ISO: 18000-6B EPC G2 Gain 9dB</p> |  <p>STA AN86611C Antenna ISO: 18000-6B EPC G2 Gain 12dB</p> |  <p>STA SS018 Touch Kiosk 17" LCD with Intel Dual Core Processor ISO: 18000-6B EPC G2 Reading Distance: 2 Mtr.</p> |  <p>STA DB001 Book Drop Box 14" monitor with Dual Core Processor ISO: 18000-6B EPC G2 Reading Distance: 20 Mtr.</p> |  <p>STA Anti-theft Gate Reader Audible Sound Alarm & Visible LED ISO: 18000-6B EPC G2 Reading Distance: 3 Mtr.</p> |

Tags

| | | | | | | | | |
|---|---|---|--|--|---|---|---|---|
|  Alien Squiggle |  Alien BAT |  Alien G Tag |  Alien Short |  Alien GT |  Confidex Steel Wave Micro |  Confidex Halo |  Confidex Ironside Micro |  Confidex Ironside |
|  Confidex Steehing |  Confidex Wind Shield Label |  Confidex Licence Plate Tag |  Bonded Tire Tag |  Embedded Tire Tag |  Laundry Tag |  Wrist Bands |  Wrist Bands |  Clip Tag |
|  Security Tag |  PVC Card |  Smart Tag |  Baggage Tag |  Cattle Ear Tag |  Jewellery Tag |  Pig Ear Tag |  Smart Label |  Key Shaped Tag |



Complete Software Solution




Warehouse Management



Marine Products Warehouse Management



Food Products Warehouse Management



Students Attendance Tracking



Asset Management



Work in Progress Applications



File Tracking System

Web Based & Windows Based Applications

- Work in Progress Application
- ERP & SAP Integration Modules
- Windows CE & Windows Mobile Application
- Store Management System
- Barcode Printing Applications
- Inventory Management System
- Event Management Application





STALLION GROUP
INDIA | UAE | QATAR | OMAN

My **STALLION**

Consumables & Other Products



Ribbons

| | | | |
|---------------------------------|--------------------------------------|--------------------------------|--|
| SW 01 Standard Wax | SWR 01 Standard Wax Resin | SR 01 Resin Ribbon | SWR 03 Super Premium Wax Resin |
| SW 02 Premium Wax | SWR 02 Premium Wax Resin | SR 02 Premium Ribbon | SR NE Near Edge Resin |
| SR WC Wash Care Resin | SWR NE Near Edge Wax Resin | | |



Labels & Tags

Self Adhesive Paper / Film
Speciality Labels / Tags
Tafetta / Linen / Cloth Labels
Products Label



Cash Rolls

80 x 80 Thermal
79 x 80 Thermal
57 x 20 Thermal



Laser Barcode Scanner

Laser Barcode Scanner / USB



Thermal Portable Printer

Direct Thermal Receipt Printer
Serial + USB + Ethernet, Parallel + USB



Stallion.Kiosk



Our Valuable Customers...



*All trademarks / logos belong to respective companies.

and 18000 more...



STALLION

Smarter... Faster... Higher...

STALLION GROUP
INDIA | UAE | QATAR | OMAN

INDIA
STALLION SYSTEMS AND SOLUTIONS PVT. LTD.

Ph: +91 484 2314592, 2312986 Email: sales@stallionindia.com
Ahmedabad | Bangalore | Calicut | Chennai | Coimbatore | Delhi | Guwahati | Hyderabad | Kolkata | Kollam | Kannur | Mumbai | Pune | Silvasa | Surat | Thrissur | Trivandrum

UAE
STALLION SYSTEMS FZE

Ph: +971 6 5578305. Fax: +971 6 5578365 Email: sales@stallionglobal.com

STALLION LABEL INDUSTRIES LLC

Ph: +971 6 7482142. Mob: +971 553311986 Email: sales@stallionglobal.com

QATAR
GLOBAL STALLION SYSTEMS WLL

Ph: +974 44324337, Mob: +974 66785554 Email: sales@stallionglobal.com

OMAN
STALLION SYSTEMS LLC

Ph: +968 24714041, Fax: +968 24714042, Mob: +96893215113 Email: sales@stallionglobal.com

www.stallionglobal.com